



For patients and
their care partners

YOUR GUIDE TO LEQEMBI[®] INFUSIONS

Learn what to expect before,
during, and after treatment

PAULETTE

living with mild cognitive impairment (MCI) due to Alzheimer's disease,* and her daughter, Danielle

IMPORTANT SAFETY INFORMATION

i What is the most important information I should know about LEQEMBI?
LEQEMBI can cause serious side effects, including: ARIA (amyloid-related imaging abnormalities). There are usually no signs of ARIA. In rare cases, it can lead to serious complications: ARIA can show up as swelling in parts of the brain or small spots of bleeding; larger areas of bleeding in the brain may occur, but this is uncommon; ARIA usually goes away over time; most people with ARIA don't have any symptoms. However, some people may notice: headache, confusion that gets worse, dizziness, vision problems, nausea, problems walking, or seizures.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).

 **LEQEMBI[®]**
(lecanemab-irmb) 100 mg/mL
INJECTION FOR INTRAVENOUS USE

LEARN ABOUT THE INFUSION PROCESS

Now that you and your healthcare provider have decided LEQEMBI is right for you, it's important to understand the infusion process. **This guide helps answer these questions:**

PAGE 3	WHAT SHOULD I KNOW BEFORE STARTING LEQEMBI?
PAGE 4	HOW CAN I PREPARE FOR AN INFUSION?
PAGE 5	WHAT CAN I EXPECT DURING AN INFUSION?
PAGE 6	HOW CAN I STAY ON TRACK AND MONITOR MY PROGRESS?
PAGE 7	WHAT TOPICS CAN I DISCUSS WITH MY CARE TEAM?
PAGE 8	WHAT SUPPORT IS AVAILABLE FOR LEQEMBI?

Support comes in many forms

Your care team is your best resource for treatment questions, but remember that you can turn to loved ones for a helping hand too.

LOLA living with mild Alzheimer's dementia,* and her daughter, Nadine







WHAT IS LEQEMBI?

LEQEMBI is a prescription medicine used to treat people with Alzheimer's disease.

If you have serious allergic reactions to any of the ingredients in LEQEMBI, **you should not be treated with LEQEMBI.**

IMPORTANT SAFETY INFORMATION (CONTINUED)

What is the most important information I should know about LEQEMBI?

-  Some people have a gene called ApoE4 that may increase the risk of ARIA. Talk to your healthcare provider about testing to see if you have this gene
-  Some medicines can increase the risk of larger areas of bleeding in the brain for people taking LEQEMBI. Talk to your healthcare provider to see if any of the medicines you're taking increase this risk
-  Your healthcare provider will check for ARIA with MRI (magnetic resonance imaging) scans before you start LEQEMBI and during treatment
-  **Call your healthcare provider or go to the nearest hospital emergency room right away if you have any of the symptoms listed on the front cover.**

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).

 **LEQEMBI**
(lecanemab-irmb)

WHAT SHOULD I KNOW BEFORE STARTING LEQEMBI?

Understanding the infusion process can help you feel prepared for what's ahead.



LEQEMBI is an intravenous (IV) infusion. This means a needle is placed in a vein in your arm to give the medicine.



Each infusion takes about **1 hour**, but you will likely be at the infusion center for longer.



Infusions are given once every 2 weeks. If you miss an infusion of LEQEMBI, you should receive your next dose as soon as possible.



Infusions will be given at a **healthcare provider's office** or at an **infusion center**. Talk to your healthcare provider and insurance provider about where to get your infusions.

Potential side effects

When starting a new treatment, it's okay to have questions about potential side effects. Here are a few you may hear about during your infusion appointments.



ARIA

One side effect is ARIA (amyloid-related imaging abnormalities). Your healthcare provider will check for ARIA with MRI (magnetic resonance imaging) scans before starting treatment, and before your 5th, 7th, and 14th infusions.



Serious allergic reactions

Swelling of the face, lips, mouth, or tongue, hives, or difficulty breathing have happened during a LEQEMBI infusion. Tell your healthcare provider if you have any symptoms of a serious allergic reaction during or after your LEQEMBI infusion.



Infusion-related reactions are a possible side effect of LEQEMBI

These include fever, flu-like symptoms (chills, body aches, feeling shaky, and joint pain), nausea, vomiting, dizziness or lightheadedness, changes in your heart rate or feeling like your chest is pounding, changes in your blood pressure, and difficulty breathing or shortness of breath.

RICHARD living with mild cognitive impairment (MCI)*

IMPORTANT SAFETY INFORMATION (CONTINUED)

Before receiving LEQEMBI, tell your healthcare provider about all your medical conditions, including if you:

- are pregnant or plan to become pregnant. It is not known if LEQEMBI will harm your unborn baby. Tell your healthcare provider if you become pregnant during your treatment with LEQEMBI
- are breastfeeding or plan to breastfeed. It is not known if any of the ingredients in LEQEMBI pass into your breast milk. Talk to your healthcare provider about the best way to feed your baby while receiving LEQEMBI

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including **Boxed WARNING**, and [Medication Guide](#).

 **LEQEMBI**
(lecanemab-irmb)

HOW CAN I PREPARE FOR AN INFUSION?

What to bring

Gather these items before your appointment:

- A blanket and layers in case you get chilly
- Your favorite pillow
- Something to play, read, or watch
- Your device chargers (and headphones or earbuds)
- A few snacks and a bottle of water

What to keep in mind

Check these items off before your appointment:

- Drink plenty of water beforehand
- Wear short sleeves or a shirt that can be rolled up so it's easier to get your infusion
- Take a look at the LEQEMBI Medication Guide (link below) and bring any questions to your care team



Keep your phone close by

You'll likely get a call from your infusion center before your appointment to gather some extra information. That's a good time to ask about anything you need to bring, such as paperwork and medication lists.




It can be nice to have a family member with you, so ask your infusion center if that's allowed.



AUDREY living with mild Alzheimer's dementia*

IMPORTANT SAFETY INFORMATION (CONTINUED)

 **Tell your healthcare provider about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Especially tell your healthcare provider if you take medicines to reduce blood clots from forming (including aspirin). Ask your healthcare provider for a list of these medicines if you are not sure.

Keep a list of the medicines you take. Show it to your healthcare provider and pharmacist when you get a new medicine.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).



WHAT CAN I EXPECT DURING AN INFUSION?

If you're not used to infusions, it's important to know what to expect. The exact process may vary, but a LEQEMBI infusion often includes these steps:

- STEP 1** A member of the infusion care team will **check your vital signs**, like your temperature and blood pressure. You may also get weighed and have blood drawn.
- STEP 2** Your care team will prepare your medicine, set up your IV line, and **start your infusion**. As you receive your medicine, pay attention to how you feel and keep them informed of any concerns.
- STEP 3** After your infusion is finished, your care team will **remove the IV**. Then they'll tell you when you can leave and how to **schedule your next infusion**.

If you have an infusion-related reaction, your healthcare provider may:

- Adjust the flow or stop the infusion
- Give you medicines before your future LEQEMBI infusions to decrease your chance of having an infusion-related reaction. These medicines may include antihistamines, anti-inflammatory medicines, or steroids



FOR CARE PARTNERS

To help make each appointment a little more enjoyable, consider games or other activities you and your loved one can do together. For more tips and information, visit LEQEMBI.com/CarePartners.



PAULETTE living with mild cognitive impairment (MCI),* and her daughter, Danielle

IMPORTANT SAFETY INFORMATION (CONTINUED)

What are the possible side effects of LEQEMBI?

LEQEMBI can cause serious side effects, including:

- **ARIA (amyloid-related imaging abnormalities)** (see front cover)
- **Serious allergic reactions** may happen during a LEQEMBI infusion. Tell your healthcare provider if you notice any of these symptoms during or after a LEQEMBI infusion:



swelling of the face, lips, mouth, or tongue



itchy bumps on the skin, also known as hives



difficulty breathing

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).

 **LEQEMBI**
(lecanemab-irmb)

HOW CAN I STAY ON TRACK AND MONITOR MY PROGRESS?

In people with Alzheimer's disease, amyloid brain plaque continuously builds up. LEQEMBI keeps working throughout treatment to remove harmful amyloid brain plaque. **That's why it's important to stick with your treatment plan.**



Even though you cannot feel LEQEMBI working day to day, staying on track with each infusion helps treat Alzheimer's disease.



Your healthcare provider will monitor you for side effects throughout treatment and may adjust your dose or stop treatment if necessary.



An infusion every 2 weeks is what keeps LEQEMBI working in your body. Plus, it gives your care team more opportunities to check in on you. Let them know right away if anything comes up.

Practical tips for staying on track

It's important to try to follow each part of your treatment plan. That includes sticking to your infusion schedule. Here are a few tips that may help:



Schedule upcoming infusions well in advance and be sure to add the appointments to your calendar.



Plan ahead for any additional tests, such as your follow-up MRIs before your 5th, 7th, and 14th infusions.



Reach out to your healthcare provider if you miss an appointment. They can help you get back on track.









Keep track of how you're feeling between infusions and let your healthcare provider know if anything comes up.



RICHARD living with mild cognitive impairment (MCI),* and his wife, Christine

IMPORTANT SAFETY INFORMATION (CONTINUED)

What are the possible side effects of LEQEMBI?
LEQEMBI can cause serious side effects, including:

- Infusion-related reactions** are common and can sometimes be serious. Tell your healthcare provider right away if you notice any of these symptoms during an infusion:
 -  fever
 -  flu-like symptoms (chills, joint and body aches, feeling shaky)
 -  nausea and/or vomiting
 -  dizziness or lightheadedness
 -  fast or slow heart rate, or feeling like your chest is pounding
 -  difficulty breathing or shortness of breath

Your healthcare provider may give you medicines before your next infusion to lower the chance of having a reaction.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including [Boxed WARNING](#), and [Medication Guide](#).



WHAT TOPICS CAN I DISCUSS WITH MY CARE TEAM?

Don't hesitate to ask any questions or share any concerns. Not sure where to begin? These topics can help you get started:



LEARNING IF I'M ELIGIBLE FOR LEQEMBI

"What are the tests and paperwork that need to be completed before I can start treatment?"



SCHEDULING MY INFUSIONS

"How do my infusions get scheduled and where will I get them?"



GETTING READY FOR MY FIRST INFUSION

"Do you have any additional tips or advice to help me prepare?"



KEEPING UP WITH MY INFUSIONS

"What should I do if I miss my infusion?"



LOOKING OUT FOR ANY SIDE EFFECTS

"How will I be monitored for side effects, such as ARIA? What should I look out for?"



PLANNING FOR MY FOLLOW-UP MRIs

"What do I need to know about my follow-up MRIs? When will I get them and why are they needed?"



AUDREY living with mild Alzheimer's dementia,* and her son, Denver

IMPORTANT SAFETY INFORMATION (CONTINUED)

The most common side effects of LEQEMBI include:

- infusion-related reactions
- swelling in areas of the brain, with or without small spots of bleeding in or on the surface of the brain (ARIA)
- headache

These are not all the possible side effects of LEQEMBI. Call your doctor for more information and medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including Boxed WARNING, and [Medication Guide](#).



WHAT SUPPORT IS AVAILABLE FOR LEQEMBI?

There are lots of resources for people starting LEQEMBI.

Eisai Patient Support

Eisai Patient Support (EPS) provides information and resources to help you get access to LEQEMBI, including:

- understanding insurance coverage
- identifying financial support programs
- learning what to expect throughout treatment



For more information, visit EisaiPatientSupport.com or call 1-833-453-7362 (1-833-4-LEQEMBI).



FOR CARE PARTNERS


Explore tips for supporting your loved one while they're taking LEQEMBI. Visit LEQEMBI.com/CarePartners.

Make LEQEMBI Companion™ your treatment companion

LEQEMBI Companion is a website experience filled with useful information, engaging resources, and helpful tips to return to throughout treatment. Use it during each infusion, between appointments, or whenever you need a little extra support.

At LEQEMBICompanion.com, you'll find:

- easy-to-use features
- games to play
- calming tools
- helpful information about your treatment



Go to LEQEMBICompanion.com to start exploring

LOLA living with mild Alzheimer's dementia,* and her daughter, Nadine

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including Boxed WARNING, and [Medication Guide](#).



YOUR INFUSION CHECKLIST

Here are some practical things you can do to get ready for your LEQEMBI infusion:

- ✓ **Keep your phone close by.** You'll likely get a call to coordinate your LEQEMBI appointment
- ✓ **Grab any paperwork** your care team may have requested
- ✓ **Wear short sleeves** or a shirt that can be rolled up so it's easier to get your infusion
- ✓ **Take along something to read or watch** to help make your appointment more enjoyable (and pack your headphones or earbuds)
- ✓ **Bring a bottle of water** and drink plenty beforehand so you're hydrated

PAULETTE*
and her friend

Please see Important Safety Information throughout. Click underlined links for [full Prescribing Information](#) including **Boxed WARNING**, and [Medication Guide](#).

*Patient shown is not taking LEQEMBI.



© 2024 Eisai Inc. and Biogen.
LEQE-US2813 February 2024
All trademarks are the property of their respective owners.
LEQEMBI® is a registered trademark of Eisai R&D Management Co., Ltd.
LEQEMBI Companion™ is a trademark of Eisai R&D Management Co., Ltd.



LEQEMBI® WALLET CARD

It's important that all of your healthcare providers know the medicines you are taking. **Having this card with you at your appointments can help inform providers that you are taking LEQEMBI.**



Instructions: print and cut out this card then keep it in your wallet, bag, or appointment book. Show it to all your healthcare providers, including doctors, nurses, neurologists, radiologists and other specialists you may see.



**I AM TAKING LEQEMBI®
AS PRESCRIBED BY**

Carry this card with you and show it to all your healthcare providers so they know you are taking LEQEMBI.

 **LEQEMBI®**
(lecanemab-irmb) 100 mg/mL
INJECTION FOR INTRAVENOUS USE

SELECTED IMPORTANT SAFETY INFORMATION

LEQEMBI can cause serious side effects, including amyloid-related imaging abnormalities or "ARIA." Symptoms include headache, confusion, dizziness, vision changes, nausea, difficulty walking, and seizures. Additionally, swelling of the face, lips, mouth, or tongue, hives, or difficulty breathing have happened during a LEQEMBI infusion.

This is not a complete list of all potential side effects. Please see full Prescribing Information, including Boxed WARNING, and Medication Guide on LEQEMBI.com.



© 2024 Eisai Inc. and Biogen.
LEQE-US2813-A February 2024



All trademarks are the property of their respective owners.
LEQEMBI® is a registered trademark of Eisai R&D Management Co., Ltd.



Cut along the dotted line and fold in half.